
Faux Leather VERONA





VA-006

Jet

VA-000

Chocolate

VA-004

Sapphire

VA-013

Forest

VA-005

Eggplant



TECHNICAL INFORMATION			
Content: 100% Vinyl Width: 54" Weight: 32 oz./linear yd.	Backing: 100% Polyester Finish: Resilience ^{SR} Cleaning Code: WS, BC		Approx. Repeat: None Directional: No Railroaded: No
PERFORMANCE	Test Method		Results
Surface Abrasion: Heavy Duty	CFFA-1A/Method ASTM D4157 (Cotton Duck)		Passes 740,000^ Double Rubs
Breaking Strength:	CFFA-17 / ASTM-D-751		Warp 128 lbs/Fill 93 lbs
Colorfastness to Crocking:	AATCC-8		Dry: Class 4 min / Wet: Class 4 min
Colorfastness to Light:	UV Resistance - AATCC 16, Option 3		Passes 650 Hours - Suitable for marine use
Cold Crack:	CFFA-6 Fed. Stnd. No. 191A - Method 5874		-20° F
FLAMMABILITY			
California Technical Bulletin 117-2013	Passes	BIFMA	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes	FMVSS 302	Passes
ASTM E84 (Adhered & Unadhered) Class 1 or A	Passes	IMO A.652 (16) 8.2 & 8.3	Passes

SPECIFIC TREATMENTS

Stain Resistant with Resilience^{SR} Abrasion Resistant Anti-Bacterial Anti-Microbial Sulfide Stain Resistant Mildew Resistant Bleach Cleanable (1:10)

Resilience SR

Resilience Resilience

Anti-Microbial & Anti-Bacterial Protection: Products treated with Resilience^{SR} are engineered to inhibit bacterial growth, as well as fungus, mold and mildew spores, resulting in a more hygienic environment.

Abrasion Resistance: Resilience^{SR} provides additional wear properties and surface durability to any vinyl or faux leather, thereby increasing the life of the material. Resilience^{SR} is not visible, and does not affect the hand of the material. Resilience^{SR} is engineered to last, even after repeated cleaning and wear. Specify Resilience^{SR} for the most demanding healthcare and hospitality applications.

Resilience^{SR} complies with ASTM G-21/CFFA 120 and AATCC 147/CFFA 300 inhibiting the growth of the following organisms:

Aspergillus Niger Penicillium Pinaphilum Chaetomium Globosum Trichoderma Virens Aureobasidium Pullulans Staphylococcus Aure Klebsiella Pneumoniae Salmonella Choleraesuis Pseudomonas Aeruginosa

STAIN RESISTANCE

Stain Resistance per CFFA 141 (Determines the resistance of a fabric to staining when subjected to common house-hold stains and cleaning agents) - Class 5 (Excellent) rating:

Butter Blood Coffee Hair Spray Iodine/Betadine Ketchup Lipstick Liquid Foundation Mascara

Mayonnaise Motor Oil Salad Dressing Soda Soy Sauce Suntan Lotion Tea Urine Whiskey

CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

Bleach Cleanable - 1:10 ratio = 10% bleach, 90% water solution

Prompt cleaning is always recommended. Recommended cleaning steps are listed by type of stain. For best results follow steps in order.

Recommended Care and Cleaning Steps

Step 1: Mild soap and water, then rinse with fresh water and wipe dry with a clean cloth.

Step 2: Wipe affected area with a soft cloth or soft bristle brush using a non-abrasive cleaner, i.e. Formula 409 or Fantastik. Rinse with fresh water and wipe dry.

Step 3: 10% solution of household bleach and water. Rinse with fresh water and wipe dry.

May comply with California Technical Bulletin 133 when combined with appropriate components.

Step 4: 25% solution of alcohol and water. Rinse with fresh water and wipe dry

Step 5: 25% solution of lighter fluid or nail polish remover and water. Rinse with fresh water and wipe dry.

Regular Cleaning and Maintenance: Step 1 (Dirt, Dust, Grime)

Oils: Steps 1 & 2 (Organic & Petroleum based)

Healthcare: Steps 1, 2 & 3 (Blood, Urine, Betadine, Disinfectant)

Food: Steps 1 & 2 (Ketchup, Chocolate, Coffee, Tea, Juice) Difficult Stains: Steps 1, 2, 3, 4 & 5 (Eye shadow/Mascara, Lipstick, Crayon, Grease, Mustard, Paint)

NOTE: The use of commercial vinyl conditioners and protectants is NOT RECOMMENDED.

The information in this cleaning guide refers to performance of Resilience in tests conducted under laboratory conditions. This information does not imply a specific guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and referenced cleaning agents.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

^Abrasion: Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Fabric Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly. Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.



This fabric meets or exceeds these ACT performance guidelines. *Certification Marks owned by ACT®

