SPECIFICATIONS - APOLLO SILICONE

MAYER FABRICS

APOLLO SILICONE

SAP-034, Spa

TECHNICAL INFORMATION


CATEGORY: Upholstery CONTENT: 45% Sio™ Silicone face, 55% Polyester backing BACKING: Polyester FINISH: None WIDTH: 54" WEIGHT: 28 oz./In yd VISUAL REPEAT: None SHOWN RAILROADED: No DIRECTIONAL: No APPROX. ROLL SIZE: 30 yards APPLICATION: Indoor / Outdoor / Atrium

ABRASION RESISTANCE: Passes 225,000 Double Rubs* (Wyzenbeek/Cotton Duck) BREAKING STRENGTH: Warp 250.0 / Fill 250.0 COLORFASTNESS TO CROCKING: Dry: Class 4 min/Wet: Class 4 min COLORFASTNESS TO LIGHT: 500 hours SEAM STRENGTH: Warp 102.0 / Fill 102.0 INK RESISTANT LIQUID BARRIER DENIM DYE RESISTANT MILDEW RESISTANT

* Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

FLAMMABILITY

PASSES CAL TB 117-2013 NFPA 260/UFAC CLASS 1 AB 2998 COMPLIANT ASTM E84 CLASS 2 OR B (ADHERED) ASTM E84 CLASS 2 OR B (UNADHERED) BS 5852: 2006 CRIB 5 FMVSS 302 IMO FTP 2010 CODE MSC.307(88), PART 8, 3.1 & 3.2



REDUCED ENVIRONMENTAL IMPACT GREENGUARD GOLD CERTIFIED PFAS FREE NO FR ADDITIVES NO ANTIMICROBIAL ADDITIVES NO ANTIBACTERIAL ADDITIVES HHI / GREENHEALTH COMPLIANT MINDFUL MATERIALS COMPLIANT BPA FRFF FORMALDEHYDE FREE TRIS FREE **PROP 65 COMPLIANT REACH COMPLIANT ROHS COMPLIANT VEGAN COMPLIANT** DOES NOT CONTAIN CONFLICT MINERALS HPD AVAILABLE

MAYERFABRICS

WARRANTY

STANDARD UPHOLSTERY | '5' FIVE YEAR WARRANTY See <u>Warranty Terms</u> for more information.

DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

ADDITIONAL INFORMATION

Custom Colors: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

CLEANING & MAINTENANCE

CFC: Coated Fabrics Cleaning - When a spill/stain occurs wipe immediately with a clean dry cloth. Carefully remove the majority of the stain then follow the steps below. Soap & Water - Remove ordinary dirt and smudges with a mild soap and water solution using a soft cloth or towel. Rinse with fresh water and wipe dry.

Non-abrasive Cleaners - If residue remains, use a straight application of the following cleaners: Fantastik or 409 and gently clean with a soft cloth. Rinse with fresh water and wipe dry.

Isopropyl Alcohol - More stubborn stains may be eliminated using a cotton cloth soaked in 70-91% isopropyl (rubbing) alcohol. Wipe without spreading stain to surrounding area. A second application should be applied with vigorous rubbing in a circular motion. For highly textured material, a soft brush is recommended to clean valleys and crevices. Rinse with fresh water and wipe dry.

BC: Bleach Cleanable - 1 parts bleach, 4 parts water = 20% bleach, 80% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 20% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Apollo Silicone is anti-microbial & anti-bacterial without added chemicals.

MAYERFABRICS

APOLLO SILICONE COLORS (33)

APOLLO SILICONE COLORS (33)				
Bark SAP-010	Espresso SAP-020	Shiitake SAP-030	Poppy SAP-001	Bordeaux SAP-011
Butterscotch SAP-012	Opal SAP-022	Basil SAP-003	Citron SAP-013	Eucalyptus SAP-023
Indigo SAP-014	Mediterranean SAP-024	Spa SAP-034	Dew SAP-044	Grape SAP-005
Bitumen SAP-016	Flint SAP-026	Quarry SAP-036	Metal SAP-046	lvory SAP-007
Latte SAP-027	Stone SAP-037	Mica SAP-047	Snow SAP-057	Turmeric SAP-009
Rust SAP-029	Melon SAP-039			
	Bark SAP-010 Butterscotch SAP-012 Bitumen SAP-014 Bitumen SAP-014 Bitumen SAP-016 Bitumen SAP-016	Bark SAP-010Espresso SAP-020Butterscotch SAP-012Opal SAP-021Butterscotch SAP-012Opal SAP-021Indigo SAP-014Mediterranean SAP-024Bitumen SAP-014Flint SAP-024Bitumen SAP-016Flint SAP-026Bitumen SAP-026Stone SAP-026Latte SAP-027Stone SAP-037RustMelon	Bark SAP-010Espresso SAP-020Shiitake SAP-030Butterscotch SAP-012Opal SAP-022Basil SAP-003Butterscotch SAP-012Opal SAP-024Basil SAP-014Indigo SAP-014Mediterranean SAP-024Spa SAP-034Bitumen SAP-016Flint SAP-026Cuarry SAP-036Bitumen SAP-016Flint SAP-026Cuarry SAP-036Bitumen SAP-016Flint SAP-026Cuarry SAP-036Bitumen SAP-027SAP-036Mica SAP-037Bitumen SAP-027Stone SAP-037Mica SAP-047	Bark SAP-010Espresso SAP-020Shitake ShP-030Poppy SAP-031Butterscotch SAP-012Opal SAP-022Basil SAP-031Citron SAP-031Butterscotch SAP-012Opal SAP-022Basil SAP-031Citron SAP-031Indigo SAP-014Mediterranean SAP-024Spa SAP-034Dew SAP-044Bitumen SAP-016Flint SAP-026Cuarry SAP-034Metal SAP-046Bitumen SAP-027Stone SAP-037Mica SAP-047Snow SAP-037Bitumen SAP-027Stone SAP-047Mica SAP-037Snow SAP-037

© Mayer Fabrics 2018 Specifications are subject to change.

Page 3 of 3

As of: Mar 9, 2025