






364-000 Shiitake




364-009 Sunkissed



364-001 Chianti



364-005 Boysenberry



364-004 Cerulean

Application
Seating


Content
100% Solution-Dyed Nylon

Width
54 inches


Abrasion
Passes 200,000 Double Rubs

Finish
INCASE™ with Antimicrobial
Silver Ion Technology

Reduced Environmental Impact
GREENGUARD Gold Certified




364-003 **Limelight**



364-007 **Honeycomb**



364-014 **Eucalyptus**



364-006 **Stone**

Designed by students at the Savannah College of Art & Design - Adelyn Janulis, Nicole Schlesinger, Melanie Wilcox

TECHNICAL INFORMATION

Content: 100% Solution-Dyed Nylon
Width: 54"
Weight: 16.59 oz./linear yard

Backing: **INCASE™ Back Coat**
Finish: **INCASE™ with Antimicrobial Silver Ion Technology**
Cleaning Code: WS

Visual Repeat: 13.5" H, 13.25" V
Directional: Yes
Railroaded: No

PERFORMANCE (*ACT Registered Certification Marks)

Test Method	Results
Surface Abrasion: Heavy Duty: A *	ASTM-D-3597 (Cotton Duck)
Breaking Strength: ★ *	ASTM-D-5034 (Grab Test)
Seam Slippage: ★ *	ASTM-D-4034
Pilling Resistance: ★ *	ASTM-D-3511
Colorfastness to Crocking: ☉ *	AATCC-8
Colorfastness to Light: ☼ *	AATCC-16

Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color transfer to 1 for very severe color change or color transfer.

FLAMMABILITY

California Technical Bulletin 117, Section E
NFPA 260 (Equivalent to UFAC) Class 1
May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

GREENGUARD Gold Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit UL.com/gg.

Mayer Fabrics offers a reclaiming and recycling program for our solution-dyed nylon type 6 fabrics at the end of their life cycles. Please refer to www.mayerfabrics.com for more information and a list of applicable fabrics.

STAIN RESISTANCE

Stain Resistance is based on a numerical scale with 5 being the highest for stain removal.

	After 5 min./After 24 hrs.	STAIN RESISTANCE	After 5 min./After 24 hrs.
Blood	Class 4-5/Class 4-5	Urine	Class 4-5/Class 4-5
Iodine	Class 4-5/Class 4-5	Suntan Lotion	Class 4-5/Class 4-5
Ketchup	Class 4-5/Class 4-5	Black Coffee	Class 4-5/Class 4-5
Milk	Class 4-5/Class 4-5	Cola	Class 4-5/Class 4-5

BACTERIAL RESISTANCE

Non leaching Silver Ion Technology microbial protection.
Excellent anti-bacterial properties
INCASE™ resists bacterial growth, test ISO 20743:2007(E), Klebsiella pneumoniae (ATCC #4352)

CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With method, pretest a small area before proceeding.

This pattern can be cleaned safely with bleach; a 10% bleach and 90% water solution (standard for the Center for Disease Control) is recommended and thorough rinsing is required. The color change has a Class 5 rating (no color change).

Prompt cleaning is always recommended. For detailed care and cleaning information, please refer to the Mayer Fabrics website or contact customer service.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our web site or by contacting customer service.

Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our web site.

For information or assistance with products or services, call us at 800.428.4415 or refer to our web site, www.mayerfabrics.com.



ERODE - Approx. Repeat: 13.5" H, 13.25" V



MAYERFABRICS

GSA Contract # GS-28F-0022P

