

FACE



LC380-014 Sky

REVERSE-R



LC380-034-R Horizon

Lucia Cassa Collection

FACE

REVERSE-R

FACE

REVERSE-R



LC380-002 Chamomile



LC380-012-R Echinacea



LC380-001 Flame




LC380-011-R Ember



LC380-009 Copper




LC380-019-R Turmeric



LC380-008 Wisteria



LC380-018-R Mulberry



LC380-000 Driftwood



LC380-017-R Sand



LC380-005 Purple



LC380-015-R Orchid

Application
Multi-Use

Content
100% Recycled Polyester

Width
54 inches

Abrasion
Exceeds 100,000 Double Rubs -
both sides

Finish
None

Reduced Environmental Impact
Recycled Content
GREENGUARD Gold Certified

FACE



LC380-013 Cilantro

REVERSE-R



LC380-033-R Basil

FACE




LC380-007 Khaki

REVERSE-R



LC380-027-R Taupe



LC380-003 Emerald



LC380-023-R Jade




LC380-014 Sky



LC380-034-R Horizon



LC380-004 Royal Blue



LC380-024-R Blueberry



LC380-006 Ebony



LC380-016-R Granite

TECHNICAL INFORMATION		
Content: 100% Recycled Polyester (64% Pre-/36% Post-Consumer)	Backing: None Finish: None Cleanability: WS	Approx. Repeat: 14.3" H, 8.2" V Non-Matching Directional: Yes Railroaded: No
Width: 54"		
Weight: 12.3 oz./linear yd.		
PERFORMANCE (*Certification Marks owned by ACT*)	Test Method	Results
Surface Abrasion: Heavy Duty *	ASTM-D-4157 (Cotton Duck)	Exceeds 100,000 Double Rubs - both sides
Breaking Strength: *	ASTM-D-5034	Warp 180 lbs min/Fill 200 lbs min
Seam Slippage: *	ASTM-D-4034	Warp 70 lbs min/Fill 60 lbs min
Pilling Resistance	ASTM-D-3511	Class 4
Colorfastness to Crocking: *	AATCC-8	Dry: Class 4 min/Wet: Class 3 min
Colorfastness to Light: *	AATCC-16	Class 4 min at 60 Hours
Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color transfer to 1 for very severe color change or color transfer.		
FLAMMABILITY *		
California Technical Bulletin 117-2013	Passes	
NFPA 260/UFAC Class 1	Passes	
May comply with California Technical Bulletin 133 when combined with appropriate components.		
REDUCED ENVIRONMENTAL IMPACT		
Recycled Content		
This product is GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg .		

CARE AND CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

For detailed care and cleaning information for each pattern, please refer to the Mayer Fabrics website or contact customer service.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Fabric Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Additional specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.



GSA Contract #GS-28F-0022P

