




384-024 Turquoise



384-005 Wisteria




384-008 Vineyard



384-014 Blue Skies




384-004 Aquamarine



384-006 Midnight

Application
Seating
Content
50% Solution Dyed Recycled Nylon, 50% Solution Dyed Nylon
Width
54 inches
Abrasion
Passes 355,000 Double Rubs
Finish
Stain Repellent and Antimicrobial
Reduced Environmental Impact
Recycled Content
GREENGUARD Gold Certified

CIRCUMFERENCE



384-003 Tarragon



384-007 Natural



384-016 Granite



384-000 Sable

CIRCUMFERENCE

Seating Fabric

TECHNICAL INFORMATION

Content: 50% Solution Dyed Pre-Consumer Recycled Nylon, 50% Solution Dyed Nylon	Backing: Nylon	Visual Repeat: 3.5" H, 6" V
Width: 54"	Finish: Stain Repellent and Antimicrobial	Directional: Yes
Weight: 14.6 oz./linear yd.	Cleaning Code: WS - Bleach Cleanable	Railroaded: No

PERFORMANCE (*ACT® Registered Certification Marks)	Test Method	Results
Surface Abrasion: Heavy Duty A *	ASTM-D-4157 (Cotton Duck)	Passes 355,000 Double Rubs
Breaking Strength: ✳ *	ASTM-D-5034	Warp 250 min. lbs/Fill 300 min. lbs
Seam Slippage: ✳ *	ASTM-D-4034	Warp 50 min. lbs/Fill 50 min. lbs
Pilling Resistance	ASTM-D-3511	Class 4 min.
Colorfastness to Crocking: ☛ *	AATCC-8	Dry: Class 4 min./Wet: Class 3 min.
Colorfastness to Light: ☼ *	AATCC-16 Option 3	Class 4 min. at 200 Hours

Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color transfer to 1 for very severe color change or color transfer.

FLAMMABILITY **🔥***

California Technical Bulletin 117, Section E	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes
May comply with California Technical Bulletin 133 when combined with appropriate components.	

REDUCED ENVIRONMENTAL IMPACT

Recycled Content

GREENGUARD Gold Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit UL.com/gg.

CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

Bleach Cleanable - 1 part bleach, 4 parts water = 20% bleach, 80% water solution. Always rinse promptly with clean water after applying the bleach solution.

ADDITIONAL INFORMATION



Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.



CIRCUMFERENCE - Visual Repeat: 3.5" H, 6" V



MAYERFABRICS

GSA Contract #GS-28F-0022P