



396-002 Bamboo



396-003 Limeade



396-013 Jungle



396-007 Sandalwood



396-006 Blue Clay



396-000 Ember

Application
Seating

Content
51% Recycled Polyester,
49% Polyester

Width
54 inches

Abrasion
Passes 51,000 Double Rubs

Finish
Stain Repellent

Reduced Environmental Impact
Recycled Content
GREENGUARD Gold Certified



396-009 Amber



396-001 Sangria



396-008 Ablaze



396-005 Cyberspace



396-004 Seaworthy

TECHNICAL INFORMATION

Content: 51% Recycled Polyester (35% Post-/16% Pre-Consumer), 49% Polyester	Backing: Acrylic Finish: Stain Repellent Cleaning Code: WS, BC	Approx. Repeat: 2.5" H, 5" V Directional: Yes Railroaded: No
Width: 54"		
Weight: 10.384 oz./linear yd.		

PERFORMANCE (Certification Marks Owned by ACT.)	Test Method	Results
Surface Abrasion: Heavy Duty A*	ASTM D 4157 (Cotton Duck)	Passes 51,000 Double Rubs
Breaking Strength: ✂*	ASTM D 5034 (Grab Test)	Warp 130 lbs/Fill 187 lbs
Seam Slippage: ✂*	ASTM D 4034	Warp 30 lbs/Fill 54 lbs
Pilling Resistance: ✂*	ASTM D 3511	Class 5
Colorfastness to Crocking: ●*	AATCC 8	Dry: Class 4 min / Wet: Class 3 min
Colorfastness to Light: ☀*	AATCC 16	Class 4 min at 40 hours

FLAMMABILITY 🔥*

California Technical Bulletin 117-2013	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes
May comply with California Technical Bulletin 133 when combined with appropriate components.	

REDUCED ENVIRONMENTAL IMPACT

Recycled Content

GREENGUARD Gold Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit [UL.com/gg](https://www.ul.com/gg).

CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

BC: Bleach Cleanable - 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Fabric Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.

