



WC712-001 Vineyard

Woven Crypton®

with Antimicrobial Silver Ion Technology



WC712-009 Orchard



WC712-014 Caribbean



WC712-001 Vineyard

- Application**
Seating
- Content**
100% Polyester
- Width**
54 inches
- Abrasion**
Passes 51,000 Double Rubs
- Finish**
Crypton 2.0 with Antimicrobial Silver Ion Technology
- Reduced Environmental Impact**
GREENGUARD Gold Certified



WC712-003 Emerald



WC712-000 Canyon



WC712-004 Festival

TECHNICAL INFORMATION

Content: 100% Polyester Width: 54" Weight: 16.272 oz./linear yard	Backing: Crypton® 2.0 Finish: Crypton® 2.0 with Antimicrobial Silver Ion Technology Cleaning Code: C	Visual Repeat: 7.5" H, 14.875" V Directional: Yes Railroaded: No
---	--	--

PERFORMANCE (*ACT* Registered Certification Marks)	Test Method	Results
Surface Abrasion: Heavy Duty *	ASTM-D-4157 (Cotton Duck)	Passes 51,000 Double Rubs
Breaking Strength: *	ASTM-D-5034	Warp 336 lbs / Fill 472 lbs
Seam Slippage: *	ASTM-D-4034	Warp 72 lbs / Fill 101 lbs
Pilling Resistance: *	ASTM-D-3511	Class 4
Colorfastness to Crocking: *	AATCC-8	Dry: Class 4 min / Wet: Class 3 min
Colorfastness to Light: *	AATCC-16	Class 4 at 40 hours

Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color transfer to 1 for very severe color change or color transfer.

FLAMMABILITY *

California Technical Bulletin 117, Section E NFPA 260 (Equivalent to UFAC) Class 1 May comply with California Technical Bulletin 133 when combined with appropriate components.	Passes Passes
---	------------------

REDUCED ENVIRONMENTAL IMPACT

GREENGUARD Gold Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit UL.com/gg.
All Crypton products are environmentally preferable. Crypton is produced in a world-class manufacturing operation. Crypton is committed to green and has incorporated Crypton's optimized green formulation in all Crypton upholstery, meaning a greener Crypton.

STAIN RESISTANCE		Stain Resistance is based on a numerical scale with 5 being the highest for stain removal.	
	After 5 min./After 24 hrs.		After 5 min./After 24 hrs.
Blood	Class 4-5/Class 4-5	Urine	Class 4-5/Class 4-5
Iodine	Class 4-5/Class 4-5	Suntan Lotion	Class 4-5/Class 4-5
Ketchup	Class 4-5/Class 4-5	Black Coffee	Class 4-5/Class 4-5
Milk	Class 4-5/Class 4-5	Cola	Class 4-5/Class 4-5

BACTERIAL AND FUNGUS/MILDEW RESISTANCE

Non leaching Silver Ion Technology microbial protection.
Excellent anti-bacterial and anti-fungal properties as evidenced by the following methods: 4 and 5 millimeter-wide growth-free zones produced against the Staphylococcus aureus test organism.
Crypton resists fungal growth, test AATCC 30-2004, Aspergillus niger (ATCC #6275).
Crypton resists bacterial growth, test ISO 20743: 2007(E), Klebsiella pneumoniae (ATCC #4352).
EPA Approved - When Crypton's Disinfectant and Deodorizer is used on Crypton Super Fabric, you have a disinfected fabric system. Crypton is the first and only fabric approved by the EPA proven to be disinfected. Crypton's Disinfectant and Deodorizer will kill MRSA, VRSA, IV, E. Coli, hepatitis and many more bacteria and viruses.

CLEANING INFORMATION

C: Crypton® Cleaning – Crypton fabrics are available in various fiber types, and all Crypton fabrics can be cleaned with soap and water. The ability to use bleach as a cleaner without damaging the fabric is fiber- and dye-dependent. Cryptons with solution-dyed (acrylic, nylon, olefin) fibers and all polyester Crypton selections can be cleaned safely with bleach; a 10% bleach and 90% water solution is recommended and thorough rinsing is required. For the best cleaning solution, use **CRYPTON UPHOLSTERY CLEANER**, available from Mayer Fabrics.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.
Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.
Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.
Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.
For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.

