

**KATAGAMI**

---

Lucia Cassa Collection



**MAYER**FABRICS

# Lucia Cassa Collection



LC904-007  
White Lily




LC904-006  
Pearl Grey




LC904-002  
Ginkgo



LC904-003  
Artemisia



LC904-009  
Grenadine



LC904-014  
Blue Paradise



LC904-004  
Cobalt Blue

**Application**  
Upholstery Seating


**Content**  
85% Wool, 15% Nylon

**Width**  
54 inches

**Abrasion (Martindale)**  
Exceeds 60,000 Cycles

**Finish**  
None

**Reduced Environmental Impact**  
GREENGUARD Gold Certified  
REACH Compliant




LC904-000  
Cedar Bark

|                                                                                                                                                                                                                                                                                         |                                     |                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------|
| <b>TECHNICAL INFORMATION</b>                                                                                                                                                                                                                                                            |                                     |                |
| Content: 85% Wool, 15% Nylon                                                                                                                                                                                                                                                            | Weight: 16.35 oz./linear yard       |                |
| Width: 54"                                                                                                                                                                                                                                                                              | Finish: None                        |                |
| Backing: None                                                                                                                                                                                                                                                                           | Directional: Yes                    | Railroaded: No |
| Approx. Repeat: 13.5" H, 31.94" V                                                                                                                                                                                                                                                       |                                     |                |
| <b>PERFORMANCE</b>                                                                                                                                                                                                                                                                      | <b>Results</b>                      |                |
| Surface Abrasion: Heavy Duty ASTM D4966-12 (Martindale)                                                                                                                                                                                                                                 | Exceeds 60,000 Cycles               |                |
| Pilling Resistance ASTM D3511                                                                                                                                                                                                                                                           | Class 5                             |                |
| Colorfastness to Crocking AATCC-8                                                                                                                                                                                                                                                       | Dry: Class 4 min / Wet: Class 4 min |                |
| Colorfastness to Light AATCC 16A                                                                                                                                                                                                                                                        | Class 4 min. at 40 hours            |                |
| <b>FLAMMABILITY</b>                                                                                                                                                                                                                                                                     |                                     |                |
| California Technical Bulletin 117-2013<br>NFPA 260/UFAC Class 1<br>May comply with California Technical Bulletin 133 when combined with appropriate components.                                                                                                                         |                                     |                |
| <b>REDUCED ENVIRONMENTAL IMPACT</b>                                                                                                                                                                                                                                                     |                                     |                |
| This product is GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit <a href="http://mayerfabrics.com">mayerfabrics.com</a> and <a href="http://UL.com/gg">UL.com/gg</a> . |                                     |                |
| <b>REACH (Registration, Evaluation, Authorization and Restrictions of Chemicals) Compliant</b>                                                                                                                                                                                          |                                     |                |
| <b>CLEANING INFORMATION</b>                                                                                                                                                                                                                                                             |                                     |                |
| S: Solvent Cleaner                                                                                                                                                                                                                                                                      |                                     |                |
| <b>ADDITIONAL INFORMATION</b>                                                                                                                                                                                                                                                           |                                     |                |
| Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.                                                                                                                                                                                                       |                                     |                |
| Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.                                                                                                                                                                |                                     |                |
| Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.                                                    |                                     |                |

A 

This fabric meets or exceeds these ACT performance guidelines.  
\*Certification Marks owned by ACT\*



KATAGAMI – Approx. Repeat: 13.5" H, 31.94" V



GSA Contract #GS-28F-0022P