


ATOMIC with FINESSE



MAYERFABRICS



ATOMIC
AM-003 Citrus



FINESSE
FI-003 Limeade

Application
Upholstery Seating

Content
75% Vinyl, 25% Polyester -
Phthalate Free


Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Exceeds 100,000 Double Rubs

Finish
Soil & Stain Resistant Topcoat -
Ink Resistant with
Anti-Bacterial/Microbial

Reduced Environmental Impact
GREENGUARD Certified,
Phthalate Free,
ROSH Compliant,
REACH Compliant

ATOMIC with FINESSE




ATOMIC
AM-014 Turquoise



ATOMIC
AM-002 Goldenrod




ATOMIC
AM-027 Glacier




FINESSE
FI-014 Capri




FINESSE
FI-002 Lemon



FINESSE
FI-027 Alabaster




ATOMIC
AM-001 Flame




ATOMIC
AM-007 Almond




ATOMIC
AM-017 Oyster



FINESSE
FI-001 Poppy



FINESSE
FI-007 Mojave




FINESSE
FI-017 Stucco



ATOMIC
AM-004 Midnight



ATOMIC
AM-000 Walnut



ATOMIC
AM-006 Thunder



FINESSE
FI-004 Indigo



FINESSE
FI-000 Cocoa



FINESSE
FI-016 Mercury



FINESSE
FI-006 Caviar

TECHNICAL INFORMATION	
Content: 75% Vinyl, 25% Polyester - Phthalate Free	Weight: 30.75 oz./linear yard
Width: 54"	Finish: Soil & Stain Resistant Topcoat - Ink Resistant with Anti-Bacterial/Microbial
Backing: 100% Polyester	Directional: Yes
Atomic Approx. Repeat: 8.875" H, 9.1875" V	Railroaded: No
Finesse Approx. Repeat: None	

PERFORMANCE	
Surface Abrasion: Heavy Duty ASTM D4157 (Wyzenbeek/Cotton Duck)	Results
	Exceeds 100,000 Double Rubs
Colorfastness to Crocking AATCC-8	Dry: Class 4 min / Wet: Class 4 min
Colorfastness to Light AATCC 16	Class 4 min at 200 hours


FLAMMABILITY	
California Technical Bulletin 117-2013	
NFPA 260/UFAC Class 1	
May comply with California Technical Bulletin 133 when combined with appropriate components.	

REDUCED ENVIRONMENTAL IMPACT	
This product is GREENGUARD Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg .	
Phthalate Free	
ROSH Compliant	
REACH (Registration, Evaluation, Authorization and Restrictions of Chemicals) Compliant	

CLEANING INFORMATION	
W: Water-Based Cleaner	
BC: Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.	

ADDITIONAL INFORMATION	
Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.	
Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.	
Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.	

*
This fabric meets or exceeds these ACT performance guidelines.
Certification Marks owned by ACT



ATOMIC – Approx. Repeat: 8.875" H, 9.1875" V