CARESSA

Coated Fabric

MAYERFABRICS

Coated Fabric

CA-077 **Ivory**


CA-137 **Pearl**


CA-097 **Flax**


CA-032 **Lemon**


CA-061 **Cameo**

CA-127 **Bone**


CA-047 **Doe**


CA-012 **Mojave**


CA-042 **Butter**


CA-021 **Red Pepper**


CA-117 **Sand**


CA-027 **Buff**


CA-060 **Caramel**


CA-002 **Butterscotch**


CA-001 **Ruby**


CA-107 **Pebble**


CA-087 **Oatmeal**


CA-070 **Rawhide**


CA-029 **Ochre**


CA-018 **Magenta**


CA-037 **Papyrus**


CA-030 **Taupe**


CA-050 **Saddle**


CA-039 **Tangerine**


CA-005 **Aubergine**


CA-090 **Mocha**


CA-000 **Coco**


CA-019 **Bittersweet**


CA-011 **Lipstick**


CA-041 **Burgundy**


CA-040 **Java**


CA-010 **Chocolate**


CA-009 **Red Clay**


CA-051 **Paprika**


CA-014 **Admiral**

Upholstery

80% Vinyl - Phthalate Free face, 20% Polyester backing

54 inches / 137 cm

Passes 650,000 Double Rubs

Soil and Stain Resistant Top Coat with Ink Resistant Technology

GREENGUARD Certified

CARESSA



CA-103 **Lime**



CA-123 **Parsley**



CA-113 **Jade**



CA-076 **Aluminum**




CA-053 **Laurel**



CA-084 **Aqua**

CA-116 **Glacier**



CA-106 **Cloud**



CA-096 **Dove**



CA-133 **Ivy**



CA-094 **Calypso**



CA-066 **Zinc**



CA-046 **Stone**



CA-086 **Quarry**




CA-114 **Pacific**



CA-064 **Cerulean**




CA-104 **Bluestone**



CA-026 **Granite**



CA-080 **Bark**




CA-004 **Navy**



CA-124 **Skipper**



CA-044 **Cadet**



CA-016 **Pewter**



CA-006 **Black**

CARESSA

TECHNICAL INFORMATION

Application: Upholstery

Content: 80% Vinyl - Phthalate Free face, 20% Polyester backing

Weight: 29 oz./linear yard / 899.10 g/lm

Width: 54 inches / 137 cm

Finish: Soil and Stain Resistant Top Coat with Ink Resistant Technology

Approx. Repeat: None

Directional: No

Shown Railroaded: No

PERFORMANCE

Abrasion: Passes 650,000 Double Rubs
(Wyzenbeek/Cotton Duck)
Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

Crocking: Dry: Grade 4 min / Wet: Grade 4 min

Colorfastness to Light: Grade 4.5 at 1000 hours

FLAMMABILITY

California Technical Bulletin 117-2013
NFPA 260/UFAC Class 1
FMVSS 302

REDUCED ENVIRONMENTAL IMPACT

This product is GREENGUARD Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.

No FR Additives No Antimicrobial Additives Phthalate Free

CLEANING INFORMATION

BC: Bleach Cleanable –
1 part bleach, 9 parts water = 10% bleach, 90% water solution.
CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.

DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

ADDITIONAL INFORMATION

All patterns can be custom colored. Minimum yardage applies.
Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.
Complete and current product information available at mayerfabrics.com.

©2004

50121

MAYERFABRICS

T 800.428.4415 mayerfabrics.com
500 S. Kitley Ave. Indianapolis, IN 46219

CACD