




313-004 Cobalt



313-009 Copper



313-014 Turquoise

Application
Seating

Content
100% Recycled Polyester

Width
54 inches

Abrasion
Passes 50,000 Double Rubs

Finish
None

Reduced Environmental Impact
Recycled Content
GREENGUARD Gold Certified



313-001 Ruby



313-000 Earth



313-007 Alabaster



313-003 Feldspar



313-006 Smoke



313-004 Cobalt

TECHNICAL INFORMATION

Content: 100% Pre-Consumer Recycled Polyester Width: 54" Weight: 10 oz./linear yard	Backing: None Finish: None Cleaning Code: WS	Approx. Repeat: 13.875" H, 18" V Directional: Yes Railroaded: No
--	--	--

PERFORMANCE (*Certifications Marks Owned by ACT.)	Test Method	Results
Surface Abrasion: Heavy Duty A *	ASTM-D-4157 (Cotton Duck)	Passes 50,000 Double Rubs
Breaking Strength: ✂ *	ASTM-D-5034	Warp 200 lbs min / Fill 150 lbs min
Seam Slippage: ✂ *	ASTM-D-4034	Warp 70 lbs min / Fill 60 lbs min
Pilling Resistance: ✂ *	ASTM-D-3511	Class 4 min
Colorfastness to Crocking: ☉ *	AATCC-8	Dry: Class 4 min / Wet: Class 3 min
Colorfastness to Light: ☀ *	AATCC-16 Option 3	Class 4 min at 60 hours
Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color transfer to 1 for very severe color change or color transfer.		

FLAMMABILITY 🔥 *	
California Technical Bulletin 117-2013	Passes
California Technical Bulletin 117, Section E	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes
May comply with California Technical Bulletin 133 when combined with appropriate components.	

REDUCED ENVIRONMENTAL IMPACT

Recycled Content

GREENGUARD Gold Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit [UL.com/gg](https://www.ul.com/gg).



LAUNDERING
Test Performed: AATCC 96-2004 - Dimensional Changes in Laundering of Woven and Knitted Fabrics (Except Wool)
Ratings after 20 launderings with a water temperature of 160° F and a normal tumble drying method (with a 5 having the highest rating):
Shrinkage Retention: Less than 2.75% Smoothness Appearance Rating: 4.5 Pilling Rating: 5 Color Change Rating: 5 Snagging Rating: Class 5
Please refer to the Mayer Fabrics website or contact customer service for more information.

CLEANING INFORMATION
WS: Water/Solvent Cleaner – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

ADDITIONAL INFORMATION


Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.



(Front)

ECOSPHERE - Approx. Repeat: 13.875" H, 18" V

(Back)

GSA Contract # **GS-28F-0022P**

