MEADOWLANDS



Application
Multi-Use

Content
100% FR Polyester

Width
72 inches

Finish
None

Reduced Environmental Impact

Children & Schools GREENGUARD® Indoor Air Quality Certified

MAYERFABRICS

MEADOWLANDS
PC7-014 **Lagoon**



Bottom

MEADOWLANDS
PC7-003 **Marsh**



Bottom

MEADOWLANDS
PC7-004 **Sky**



Bottom



Bottom



Bottom

MEADOWLANDS

Privacy Curtains (Multi-Use)

TECHNICAL INFORMATION

Content: 100% FR Polyester
Width: 72”
Weight: 13.3 oz./linear yard

Finish: None
Cleaning Code: PC

Visual Repeat: 65.2” H, 73.75” V
Directional: Yes
Railroaded: Yes - shown railroaded

PERFORMANCE (*ACT® Registered Certification Marks)	Test Method	Results
Washing Performance:		
Wash Tested to:	AATCC-96	160° F
Appearance Retention:	AATCC-96	Less than 3% shrinkage after 5 launderings
Breaking Strength: *	ASTM-D-5034	Warp 150 lbs min / Fill 125 lbs min
Seam Slippage: *	ASTM-D-4034	Warp 60 lbs min / Fill 60 lbs min
Colorfastness to Crocking: *	AATCC-8	Dry: Class 4 min / Wet: Class 3 min
Colorfastness to Light: *	AATCC-16	Class 4 min. at 60 hours

Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color transfer to 1 for very severe color change or color transfer.

FLAMMABILITY *

NFPA 701 Test Method 1 — Passes

REDUCED ENVIRONMENTAL IMPACT

GREENGUARD Indoor Air Quality Certification requires products to meet some of the world’s toughest chemical emissions standards. GREENGUARD Children & Schools Certification requires those products to meet or exceed additional criteria, including CA Section 01350, to account for the unique health sensitivities of children.

CLEANING INFORMATION

PC: Privacy Curtain - Wash Cycle: Process Cubicle fabric as any ordinary colored fabric, temperature not to exceed 160°F. Use a synthetic detergent. Add softener to the last rinse cycle. **Extracting Cycle:** Fabric requires no more than 2-4 min. extracting, depending on size of load and equipment used. **Drying Cycle:** Do not overload dryer. Tumble dry for 3-5 min. on synthetic cycle 110°F. As with all polyester fabrics, excessive heat will detract from the permanent press characteristics of this fabric. **Finishing:** If fabric is folded upon completion of the drying cycle, no finishing is required. Occasional light touch-up with a hand iron (275°F max.), or using a flat bed press with covered head may be desired for smoother seams. Important: Use cover cloth between fabric and iron or pressing head. Avoid prolonged contact with heat. **Notes:** Do not use caustic soap or bleach. Do not put through a mangler.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.
Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.
Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.
Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.



MEADOWLAND - Visual Repeat: 65.2” H, 73.75” V

GSA Contract # GS-28F-0022P

MAYERFABRICS

©2012 Mayer-Paetz, Inc.