




VA-007
Parchment



VA-017
Croissant




VA-011
Ruby



VA-020
Weathered



VA-040
Sepia



VA-027
Snow



VA-019
Cordovan



VA-024
Seamist



VA-012
Butter



VA-002
Jonquil



VA-026
Cliff



VA-010
Mahogany



VA-033
Mallard




VA-023
Wasabi



VA-009
Bittersweet



VA-016
Taupe



VA-030
Saddle



VA-014
Caribbean



VA-003
Fern



VA-001
Lipstick



VA-006
Jet




VA-000
Chocolate



VA-004
Sapphire



VA-013
Forest



VA-005
Eggplant

Application
Upholstery Seating

Content
100% Vinyl

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 740,000 Double Rubs

Finish
Resilience^{SR}

Reduced Environmental Impact
GREENGUARD Certified

TECHNICAL INFORMATION			
Content: 100% Vinyl Width: 54" Weight: 32 oz./linear yd.	Backing: 100% Polyester Finish: Resilience ^{SR} Cleaning Code: WS, BC		Approx. Repeat: None Directional: No Railroaded: No
PERFORMANCE	Test Method		Results
Surface Abrasion: Heavy Duty	CFFA-1A/Method ASTM D4157 (Cotton Duck)		Passes 740,000^ Double Rubs
Breaking Strength:	CFFA-17 / ASTM-D-751		Warp 128 lbs/Fill 93 lbs
Colorfastness to Crocking:	AATCC-8		Dry: Class 4 min / Wet: Class 4 min
Colorfastness to Light:	UV Resistance - AATCC 16, Option 3		Passes 650 Hours - Suitable for marine use
Cold Crack:	CFFA-6 Fed. Std. No. 191A - Method 5874		-20° F
FLAMMABILITY			
California Technical Bulletin 117-2013	Passes	BIFMA	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes	FMVSS 302	Passes
ASTM E84 (Adhered & Unadhered) Class 1 or A	Passes	IMO A.652 (16) 8.2 & 8.3	Passes
May comply with California Technical Bulletin 133 when combined with appropriate components.			

SPECIFIC TREATMENTS			
Stain Resistant with Resilience ^{SR}	Abrasion Resistant	Anti-Bacterial	Anti-Microbial
Sulfide Stain Resistant	Mildew Resistant	Bleach Cleanable (1:10)	

Resilience^{SR}

ENDURING PROTECTION

Resilience^{SR} represents the latest technology in Faux Leather and Vinyl Protection, enhancing performance where it is needed the most.

Stain Resistance: With proper care, materials treated with Resilience^{SR} can be easily cleaned and will guard against stains maintaining the desired surface appearance for years to come.

Anti-Microbial & Anti-Bacterial Protection: Products treated with Resilience^{SR} are engineered to inhibit bacterial growth, as well as fungus, mold and mildew spores, resulting in a more hygienic environment.

Abrasion Resistance: Resilience^{SR} provides additional wear properties and surface durability to any vinyl or faux leather, thereby increasing the life of the material.

Resilience^{SR} is not visible, and does not affect the hand of the material. **Resilience^{SR}** is engineered to last, even after repeated cleaning and wear. Specify **Resilience^{SR}** for the most demanding healthcare and hospitality applications.

Resilience^{SR} complies with ASTM G-21/CFFA 120 and AATCC 147/CFFA 300 inhibiting the growth of the following organisms:
Aspergillus Niger Penicillium Pinaphilum Chaetomium Globosum Trichoderma Virens Aureobasidium Pullulans Staphylococcus Aureus
Klebsiella Pneumoniae Salmonella Choleraesuis Pseudomonas Aeruginosa

STAIN RESISTANCE			
Stain Resistance per CFFA 141 (Determines the resistance of a fabric to staining when subjected to common house-hold stains and cleaning agents) - Class 5 (Excellent) rating:			
Butter	Blood	Coffee	Hair Spray
Mayonnaise	Motor Oil	Salad Dressing	Soda
Iodine/Betadine	Ketchup	Lipstick	Liquid Foundation
Soy Sauce	Suntan Lotion	Tea	Urine
Mascara	Whiskey		

CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

Bleach Cleanable – 1:10 ratio = 10% bleach, 90% water solution

Prompt cleaning is always recommended. Recommended cleaning steps are listed by type of stain. For best results follow steps in order.

Recommended Care and Cleaning Steps

Step 1: Mild soap and water, then rinse with fresh water and wipe dry with a clean cloth.

Step 2: Wipe affected area with a soft cloth or soft bristle brush using a non-abrasive cleaner, i.e. Formula 409 or Fantastik. Rinse with fresh water and wipe dry.

Step 3: 10% solution of household bleach and water. Rinse with fresh water and wipe dry.

Step 4: 25% solution of alcohol and water. Rinse with fresh water and wipe dry.

Step 5: 25% solution of lighter fluid or nail polish remover and water. Rinse with fresh water and wipe dry.

Regular Cleaning and Maintenance: Step 1 (*Dirt, Dust, Grime*)

Oils: Steps 1 & 2 (*Organic & Petroleum based*) **Healthcare:** Steps 1, 2 & 3 (*Blood, Urine, Betadine, Disinfectant*)

Food: Steps 1 & 2 (*Ketchup, Chocolate, Coffee, Tea, Juice*) **Difficult Stains:** Steps 1, 2, 3, 4 & 5 (*Eye shadow/Mascara, Lipstick, Crayon, Grease, Mustard, Paint*)

NOTE: The use of commercial vinyl conditioners and protectants is NOT RECOMMENDED.

The information in this cleaning guide refers to performance of Resilience in tests conducted under laboratory conditions. This information does not imply a specific guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and referenced cleaning agents.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

^Abrasion: Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Fabric Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

For information or assistance with products or services, call us at 800.428.4415 or refer to our website, www.mayerfabrics.com.

A

☆★☀️🌿*

This fabric meets or exceeds these ACT performance guidelines.

*Certification Marks owned by ACT®

M

MAYERFABRICS